



Brick Handle Lifter

Owner's Manual



WARNING:

Please read carefully and understand these ASSEMBLY AND OPERATION INSTRUCTIONS before operating for the first time. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury and/or affect your warranty.

Model – CL8

SAVE THESE INSTRUCTIONS FOR REFERENCE

Thank you very much for choosing an LES product!

For future reference, please complete the owner's record below:

Model & Serial Number: _____

Purchase Date: _____


Save the receipt, warranty, and this manual. It is important that you read the entire manual to become familiar with this product before you begin using it.

This Brick Handle Lifter has been designed for certain applications only. LES is not responsible for issues arising from modification or improper use of this product such as an application for which it was not designed. We strongly recommend that this product not be modified and/or used for any application other than that for which it was designed.

For technical questions, please call 01384 567 430.

1. Technical Parameters

Parameter	Value
Clamping Range	410 – 460 mm
Material	Galvanized steel
Maximum Load Capacity	40 kg
Additional Feature	Corrosion-resistant finish
Weight	0,5 kg



No.	Part Description	Quantity
1	Gripping elements	2 pcs
2	Holes for span adjustment	4 pcs
3	Carrying handle	1 pc

2. Safety Instructions

1. Use the Brick Handle Lifter only on firm, level, and stable ground. Do not operate on soft, sloped, or uneven surfaces.
2. Do not exceed the maximum lifting capacity of 40 kg.
3. Always adjust the clamping range (410–460 mm) to match the size of the brick or material being handled.
4. Ensure the tool is securely clamped onto the brick before lifting or carrying.
5. Never place your hands or any part of your body beneath the load during handling.
6. Perform a visual inspection before each use. If any damage, deformation, or excessive wear is found, remove the tool from service immediately.
7. Do not modify the tool or use it outside its intended function.
8. Always grip the tool by its ergonomic, non-slip handles. Do not use any other part of the tool for lifting.
9. Maintain a safe distance from other people during operation.
10. Failure to follow these safety instructions may result in injury or equipment damage.
11. All maintenance and repairs must be carried out by qualified personnel only.

3. Use and Operation

1. Before starting work, adjust the clamping range (410–460 mm) to fit the width of the brick to be handled.
2. Position the tool around the brick and tighten gently until a firm and secure grip is achieved.
3. Firmly grasp both handles and lift the brick in a controlled manner.
4. Keep your back straight and avoid sudden or twisting movements during lifting.
5. Once the brick is placed, release the clamping tension carefully.
6. After use, clean the tool and store it in a dry location, away from moisture and dirt.

REMEMBER:

- Do not overload the tool or use it for objects outside the specified clamping range.
- Misuse may lead to injury or material damage.

4. Maintenance

1. Clean the tool after every use, especially the clamping surfaces and handle area.
2. Store the tool in a dry and protected environment, away from corrosive agents.
3. Visually inspect the tool before each use. If any signs of wear, cracks, or damage are found, remove the tool from service.
4. Check the ergonomic grips for firmness and wear. Replace if necessary.
5. Always use original spare parts when replacing components. Refer to the technical documentation for correct part numbers.

IMPORTANT:

- Do not modify the tool or use non-original components, as this may reduce performance and compromise safety.
- All servicing must be performed by qualified personnel.

VERY IMPORTANT:

- Never use oils, greases, or chemicals that may damage the galvanized coating or non-slip grips.
- Do not use the tool if contaminated with substances that may cause corrosion or reduce grip performance.

5. Warranty

LES ("We" or "Us") warrants to the original purchaser only ("You" or "Your") that the LES product purchased will be free from material defects in both materials and workmanship, normal wear and tear excepted, for a period of one year from date of purchase. The foregoing warranty is valid only if the installation and use of the product is strictly in accordance with product instructions. There are no other warranties, express or implied, including the warranty of merchantability or fitness for a particular purpose. If the product does not comply with this limited warranty, Your sole and exclusive remedy is that We will, at our sole option and within a commercially reasonable time, either replace the product or product component without charge to You or refund the purchase price (less shipping). This limited warranty is not transferable.

Limitations on the Warranty

This limited warranty does not cover: (a) normal wear and tear; (b) damage through abuse, neglect, misuse, or as a result of any accident or in any other manner; (c) damage from misapplication, overloading, or improper installation; (d) improper maintenance and repair; and (e) product alteration in any manner by anyone other than Us, with the sole exception of alterations made pursuant to product instructions and in a workmanlike manner.

NOTE: Do Not send this unit to the factory for service without obtaining a "Returned Goods Authorization Number" from the service department. We will not be responsible for goods returned without proper authorization.

**MACHINERY (SAFETY) REGULATIONS 2005
AND SUCCESSIVE MODIFICATIONS
CONFORMITY DECLARATION**



WE HEREWITH DECLARE

THAT THE FOLLOWING PRODUCT HAS BEEN DESIGNED AND MANUFACTURED
IN ACCORDANCE WITH GOOD ENGINEERING PRACTICE TO ENSURE IT IS SAFE WHEN USED AS INTENDED.
THE PRODUCT COMPLIES WITH THE GENERAL SAFETY REQUIREMENTS OF
THE GENERAL PRODUCT SAFETY REGULATIONS 2005 (UK).

IN CASE OF ALTERATION OF THE PRODUCT, NOT AGREED UPON BY US, THIS
DECLARATION WILL LOSE ITS VALIDITY

MACHINE DESCRIPTION:	Brick Handle Lifter
MACHINE TYPE:	CL8
APPLICABLE EC DIRECTIVES:	MACHINERY (SAFETY) REGULATIONS 2005
APPLICABLE HARMONIZED STANDARDS:	EN ISO 12100:2010
MANUFACTURER:	LIFTING EQUIPMENT STORE

**THE GENERAL PRODUCT SAFETY DIRECTIVE 2001/95/EC
AND SUCCESSIVE MODIFICATIONS
CONFORMITY DECLARATION**



WE HEREWITH DECLARE

THAT THE FOLLOWING PRODUCT HAS BEEN DESIGNED AND MANUFACTURED
IN ACCORDANCE WITH GOOD ENGINEERING PRACTICE TO ENSURE IT IS SAFE WHEN USED AS INTENDED.
THE PRODUCT COMPLIES WITH THE GENERAL SAFETY REQUIREMENTS OF
DIRECTIVE 2001/95/EC ON GENERAL PRODUCT SAFETY.

IN CASE OF ALTERATION OF THE PRODUCT, NOT AGREED UPON BY US, THIS
DECLARATION WILL LOSE ITS VALIDITY.

MACHINE DESCRIPTION:	Brick Handle Lifter
MACHINE TYPE:	CL8
APPLICABLE EC DIRECTIVES:	2001/95/EC – General Product Safety Directive
APPLICABLE HARMONIZED STANDARDS:	EN ISO 12100:2010
MANUFACTURER:	LIFTING EQUIPMENT STORE



Distributed by:

Lifting Equipment Store

Unit 7 & 17C Gainsborough Trading Estate
Rufford Road Stourbridge West Midlands DY9 7ND

www.liftingequipmentstore.com